


MONOCHROME WORKGROUP DOCUMENT SYSTEM



Enhanced integration and powerful productivity for small to medium size offices and workgroups.

FEATURE RICH AND STRONG VALUE



The Sharp MX-M2630 monochrome workgroup document system offers crisp output with exceptional ease of use. This new model is designed to provide customers with a seamless, intuitive experience, and the confidence in knowing their jobs will come out right the first time, every time. The MX-M2630 focuses on value as well as user operability, and draws inspiration from the latest networking and imaging technologies available today.

Key Features

- Ease of Use Sharp's customizable touchscreen display offers a user-friendly graphical interface.
- Productivity Standard copy/print/scan capability out-of-box.
- Integration Available Sharp OSA® modules enable easy integration with network applications and cloud services, which can unlock advanced capabilities to help you better manage your workflow.
- Standard 100-sheet reversing single-pass document
 600 x 600 dpi print resolution provides clear, crisp feeder scans documents at speeds up to 80 images per minute (ipm).
- Flexible paper handling supports media up to **110 lb**. cover (300 gsm) and up to 12" x 18" through the paper trays, allowing you to print on a wide variety of media.
- Easily access popular cloud applications, such as Microsoft® OneDrive™ for Business, SharePoint® Online, and Google Drive™ with Sharp's available Cloud Connect features.*
- Network-ready PCL® 6 and optional Adobe® PostScript® 3™ printing systems combined with available DirectOffice™ technology lets you direct print PDFs, select Microsoft Office formats, and more!

- images and enhanced clarity for fine details such as small text and graphics.
- Available wireless networking feature can connect the machine directly to your network or to mobile devices for convenient printing and scanning with the Sharpdesk® Mobile App.
- 7" (diagonally measured) customizable touchscreen display enables easy access to features and functions.
- Available Compact PDF feature dramatically reduces the file size of most color scanned documents, resulting in decreased network traffic and more efficient use of disk and cloud storage.



* Some features require optional equipment.

ENHANCED FUNCTIONALITY - INTUITIVE DESIGN



Standard 100-sheet reversing document feeder.



Easy-to-use, compact design.



Distribute, access and print documents more easily.



Flexible configurations for any size office.



Sharp is committed to environmental leadership.

From paper handling to networking, the MX-M2630 document system will exceed your expectations.

Simple and Intuitive Operation

From the most basic of copy functions, to the most complex scan jobs, the MX-M2630 monochrome document system will perform them with ease and efficiency. Use one of the **Easy Modes** for fast, simple operation, with basic functions displayed in **large**, **clearly-labeled tiles** and keys. Or for more advanced features, just touch the "Details" button—it's that easy.

The Productivity You Need, the Performance You Want

When it's time to get the job done, the MX-M2630 monochrome document system is an outstanding performer. Quickly scan documents at speeds up to **80 images per minute**. Then use the **manual stapling feature** on select finishers to restaple your originals. **Multiple finishing options** give you the output you require, be it stacked, stapled, or saddle-stitched.

Flexible Printing Solutions Help Speed Up Your Office Productivity

The MX-M2630 offers standard **PCL6** and available **Adobe PostScript 3** printing systems to help you speed through all of your output needs with accuracy. And with Google Cloud Print web printing service, you can print from Chromebook[™] notebook computers, PCs and more from virtually anywhere.*

Distribute, Access and Print Your Documents with Ease

Sharp makes it easy to send documents to the destinations you need and goes beyond traditional network scanning with optional **Cloud Connect** features. Easily **scan documents** to **Microsoft OneDrive for Business, SharePoint Online**, and **Google Drive** without additional middleware.* You can also print from these cloud applications. With **Single Sign-On** capability, accessing them is virtually seamless!

Taking care of business safely and securely with environmental commitment in mind.

Sharp Helps Protect Your Business

To help protect employees' privacy and intellectual property, the MX-M2630 is armed with a variety of security measures, including features such as **data encryption**, **data overwrite protection**, and **data erase**. Multiple **security protocols** help restrict access to the device while in operation, and a convenient **End-of-Lease** feature overwrites all data at time of trade-in. **Confidential Printing** helps ensure that sensitive documents are kept safe by requiring users to enter a PIN code in order to print them.

These scalable security offerings aim to **protect your intellectual property**, preserve confidential information and help your business meet regulatory requirements including the Health Insurance Portability and Accountability Act (HIPAA) and the Family Educational Rights and Privacy Act (FERPA). For additional information visit: www.sharpusa.com/security.

An Environmentally Responsible Approach to Product Design

Sharp is **committed to environmental sustainability** and corporate responsibility including planning, design, manufacturing, distribution and product end-of-life management. The MX-M2630 adheres to Sharp's Green Products Guidelines in pursuit of these commitments. These guidelines include designing products that consume less power, using recycled materials, reducing the amount of material used in products and packaging, and labeling the type of materials used. Sharp also aims to design products that are upgradable, easy to repair, and easy to take apart for recycling.

The MX-M2630 document system is **ENERGY STAR®** qualified and **RoHS compliant** to restrict the use of hazardous substances. This product also has low TEC values. Sharp MFPs are **EPEAT®** registered.

^{*} Some features require optional equipment.

MX-M2630 SPECIFICATIONS

MX-M2630	Base models include multitasking controller, 100-sheet	Main Specification Cloud Supported	Sox, Google® Cloud Print, Google Drive, OneDrive® for		g System (continued) Email, Desktop, FTP, Folder (SMB), USB, Internet fax (option),
				Scan Desunations	
	RSPF and PCL® 6 printing systems, network scanning, auto	Services	Business, SharePoint® Online	Imaga Formatal	Super G3 fax (option) Managhtomas TIEF RDF RDF/A and Engrysted RDF
Tuno	duplexing, 1 x 550-sheet paper drawer, 100-sheet bypass tray.	Network Protocols	TCP/IP (IPv4, IPv6, IPsec), HTTP/HTTPS, IPP/IPP-SSL,	Image Formats ¹	Monochrome: TIFF, PDF, PDF/A and Encrypted PDF
Type	Multi-function digital document system		FTP/FTPS, SNMPv3, SMTP/SMTP-SSL, P0P3/P0P3-SSL,		Color/Grayscale: TIFF, JPEG, PDF, PDF/A, Compact PDF, and
Display	7" (diagonally measured) color dot matrix high-resolution touch panel tilting display. 1024 x 600 dots (W-SVGA)	Notwork and	LDAP/LDAP-SSL, 802.1x for Windows and Unix.		Encrypted PDF.
Functions	Copy, print, network print, network scan, document filing and fax ¹	Network and	Includes IP/MAC address filtering, protocol filtering, port	One-touch	Internet Fax: TIFF-FX, TIFF-F, and TIFF-S Up to 2,000 (combined scan destinations)
	Dry electrostatic transfer/Dual component developer/Magnetic	Data Security	control, TLS Encryption, Kerberos support, Active Directory	Destinations	op to 2,000 (combined scan destinations)
Copy System	, , ,		integration, data encryption, End-of-Lease, data overwrite		a lin to 500
Owininala	brush development/OPC drum/Belt fusing/white LED exposure	Firmana	(up to 10x), DoD 5220.22-M	Group Destination	
Originals	Sheets and bound documents	Firmware	Flash ROM with local (USB), network update capability	Programs	48 (combined)
Maximum	11" x 17"	Management	and firmware update 1 to N with SRDM (Sharp Remote	Max. Jobs	Up to 100
Original Size	M'- 51/II 01/II M 40II 40II	Davids a Oatour	Device Manager)	Enhanced Email	Optional Gmail connector, optional Exchange connector
Output Size	Min. 5½" x 8½", Max. 12" x 18"	Device Setup	Web-based management/cloning with user/administrator	Integration	LUTTO (UTTO) STO (STO) ONTO (ONTO ON (SOMEO OND
Copy Speed	26 ppm (8½" x 11")		level login	Scanning Protoco	Is HTTP/HTTPS, FTP/FTPS, SMTP/SMTP-SSL/ESMTP, SMB,
Multiple Copy	Max. 9,999 copies	Service/Functions	Remote Front Panel, remote access to service logs and		POP3, LDAP, S/MIME
First Copy Time	Platen Glass: 4.5		click counts	Software	Sharpdesk desktop personal document management software
(in Seconds) ²	RSPF: 7.4	Accessibility	Free stop tilting front panel, adjustment of key touch sound		(1 user license included), Sharpdesk Mobile (download)
Warm Up Time	27 seconds (from main switch on), 14 seconds (from power	Features	and speed, concave key, document feeder free stop, job		
	button on)		programs, remote front panel, universal grip for paper trays	Optional Equipme	
Magnification	25% to 400% in 1% increments (with RSPF 25%-200%)		and disable screen timeout	MX-60ABD	Deluxe Copier Cabinet Base (with front door)
Original Feed	100-sheet RSPF with original size detection.	Environmental	International Energy Star Program Ver. 2.0, European RoHS,	MX-DE25N	Stand/1 x 550-sheet Paper Drawer
Scan Speed	Copy: Up to 53 ipm	Standards	Blue Angel (RAL-UZ205)	MX-DE26N	Stand/2 x 550-sheet Paper Drawers
	Scan: Up to 80 ipm (B&W/Color)	Power Source	110-127 V AC, 60 HZ, 15 A Receptacle	MX-DE27N	Stand/3 x 550-sheet Paper Drawers
Original Sizes	5½" x 8½", 8½" x 11", 8½" x 11" R, 8½" x 14", 11" x 17"	Power Consumption	1.44 kW or less	MX-DE28N	Stand/1 x 550 + 2,100-sheet Split Tandem Paper Drawers
Paper Capacity	Standard: 650 Sheets/Maximum: 6,300 Sheets	Weight	Approx. 141 lbs.	MX-DE29	Low Stand/1 x 550-sheet Paper Drawer
Paper Feed	Standard: (1) 550-sheet paper drawer (letter/legal/ledger/	Dimensions	Approx. 24" (w) x 26" (d) 33" (h)	MX-LC17N	3,000-sheet Large Capacity Cassette
System	statement size) and 100-sheet bypass tray (letter/legal/ledger/				(letter, requires MX-DE25N/26N/27N/28N)
•	statement/envelope size). Optional: Single, double, or triple	Network Printing S	System	MX-LT10	Long Paper Feeding Tray
	drawer paper deck (550, 1,100, or 1,650 sheets), split tandem	PDL	Standard PCL 6, optional Adobe® PostScript® 3 TM	MX-FN27N	50-sheet Staple Inner Finisher
	paper drawer (2,100 sheets letter only) plus (1) 550-sheet	Resolution	600 x 600 dpi	MX-FN28	1K Stacking 50-sheet Staple Finisher
	paper drawer (letter/legal/ledger/statement size).	Print Speed	26 ppm (8½" x 11")	MX-FN29	1K Stacking 50-sheet Staple/Saddle Stitch Finisher
Paper Weights	Paper drawers: 16 lb. bond to 110 lb. cover.	Print Drivers	Windows® 7, Windows 8.1, Windows 10, Windows Server®	MX-FN30	3K Stacking 65-sheet Staple Finisher
and Types	Split tandem drawers: 16 lb. bond to 28 lb. bond.		2008, Windows Server 2008 R2, Windows Server 2012,	MX-FN31	3K Stacking 65-sheet Staple/Saddle Stitch Finisher
ana Typos	Other paper types include plain, pre-printed, recycled,		Windows Server 2012 R2, Windows Server 2016, Windows PPD,	MX-RB25N	Paper Pass Unit (required for MX-FN28/29/30/31)
	pre-punched, letterhead and color paper.		MAC OS X® (including 10.6 to 10.13), all MAC PPD, Linux® PPD	MX-PN14B	3-Hole Punch Unit (requires MX-FN27)
	Bypass tray: 16-28 lb. bond (plain paper), 13-16 lb. bond	Mobile Printing	AirPrint, Android printing framework (Sharp Print Service	MX-PN15B	3-Hole Punch Unit (requires MX-FN28/29)
	(thin paper), 28 lb. bond-110 lb. cover (heavy paper), 20-24	Widdlic Fillining	Plugin), Sharpdesk Mobile ³	MX-PN16B	3-Hole Punch Unit (requires MX-FN30/31)
	lb. bond (Monarch/Com-10 envelope), tab paper (letter). Also	Print Features	Auto configuration, serverless print release, bar code font	MX-SCX1	Staple Cartridge for MX-FN27/28/29
		riiii realuies		AR-SC2	Saddle-stitch Staple Cartridge for MX-FN29
	label paper, gloss paper, pre-printed, recycled, pre-punched,		printing, carbon copy print, chapter inserts, confidential print,		
Dunlauina	letterhead, color paper and OHP film.		continuous printing, custom image registration, different cover	MX-SC11	Staple Cartridge for MX-FN30/31
Duplexing	Standard automatic duplex copying and printing		page/last page/other page, document control, document	MX-SC12	Saddle-stitch Staple Cartridge for MX-FN31
CPU	Up to 1.4 GHz multi-processor design		filing, duplex printing, electronic sorting, folding, form overlay,	MX-TR19N	Right Side Exit Tray
Interface	10/100/1000 Base-T Ethernet, USB 2.0: 2 host ports (front and		hidden pattern print, image rotation, image stamp, image	MX-TR20	Job Separator Tray
			type, job bypass print, job retention, layout print, margin shift,	MX-UT10	Utility Table
	rear), 1 available device port (rear), optional wireless 802.11 b/g/n				
Memory	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB		multiple pamphlet, network tandem print, N-up printing, offset	MX-EB18	Wireless LAN Adapter
Hard Disk Drive	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB 500 GB		stacking, page interleave, pamphlet style, poster print, proof	MX-EB19L	Compact PDF Kit
	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB 500 GB Scan: Up to 600 x 600 dpi		stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print,	MX-EB19L MX-EB20L	Compact PDF Kit OCR Expansion Kit
Hard Disk Drive Copy Resolution	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB 500 GB Scan: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi		stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray	MX-EB19L MX-EB20L MX-FX15	Compact PDF Kit OCR Expansion Kit Fax Expansion Kit
Hard Disk Drive Copy Resolution Copy Modes	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB 500 GB Scan: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Monochrome/Grayscale		stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print	MX-EB19L MX-EB20L MX-FX15 MX-FWX1L	Compact PDF Kit OCR Expansion Kit Fax Expansion Kit Internet Fax Kit
Hard Disk Drive Copy Resolution	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB 500 GB Scan: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Monochrome/Grayscale Modes: Automatic, Text, Text/Photo, Text/Printed-Photo,	Direct Printing	stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG.	MX-EB19L MX-EB20L MX-FX15 MX-FWX1L MX-PF10	Compact PDF Kit OCR Expansion Kit Fax Expansion Kit Internet Fax Kit Bar Code Font Kit
Hard Disk Drive Copy Resolution Copy Modes	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB 500 GB Scan: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Monochrome/Grayscale Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document	Direct Printing	stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRIN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX,	MX-EB19L MX-EB20L MX-FX15 MX-FWX1L MX-PF10 MX-PK13L	Compact PDF Kit OCR Expansion Kit Fax Expansion Kit Internet Fax Kit Bar Code Font Kit Adobe PostScript 3 Expansion Kit
Hard Disk Drive Copy Resolution Copy Modes Exposure Control	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB 500 GB Scan: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Monochrome/Grayscale Modes: Automate, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document Settings: Auto or 9 step manual	Direct Printing	stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX, and PPTX.	MX-EB19L MX-EB20L MX-FX15 MX-FWX1L MX-PF10 MX-PK13L MX-PU10L	Compact PDF Kit OCR Expansion Kit Fax Expansion Kit Internet Fax Kit Bar Code Font Kit Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit
Hard Disk Drive Copy Resolution Copy Modes Exposure Control Halftone	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB 500 GB Scan: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Monochrome/Grayscale Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome)		stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, and PNC. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX, and PPTX. Methods: FTP, SMB, Web page, Email and USB memory	MX-EB19L MX-EB20L MX-FX15 MX-FWX1L MX-PF10 MX-PK13L MX-PU10L AR-SU1	Compact PDF Kit OCR Expansion Kit Fax Expansion Kit Internet Fax Kit Bar Code Font Kit Adobe PostScript 3 Expansion Kit
Hard Disk Drive Copy Resolution Copy Modes Exposure Control	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB 500 GB Scan: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Monochrome/Grayscale Modes: Automate, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document Settings: Auto or 9 step manual	Direct Printing	stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX, and PPTX.	MX-EB19L MX-EB20L MX-FX15 MX-FWX1L MX-PF10 MX-PK13L MX-PU10L	Compact PDF Kit OCR Expansion Kit Fax Expansion Kit Internet Fax Kit Bar Code Font Kit Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit
Hard Disk Drive Copy Resolution Copy Modes Exposure Control Halftone	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB 500 GB Scan: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Monochrome/Grayscale Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome)		stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, and PNC. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX, and PPTX. Methods: FTP, SMB, Web page, Email and USB memory	MX-EB19L MX-EB20L MX-FX15 MX-FWX1L MX-PF10 MX-PK13L MX-PU10L AR-SU1	Compact PDF Kit OCR Expansion Kit Fax Expansion Kit Internet Fax Kit Bar Code Font Kit Adobe PostScrift 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge)
Hard Disk Drive Copy Resolution Copy Modes Exposure Control Halftone	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB 500 GB Scan: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Monochrome/Grayscale Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking,	Resident Fonts	stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX, and PPTX. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS)	MX-EB19L MX-EB20L MX-FX15 MX-FWX1L MX-PF10 MX-PK13L MX-PU10L AR-SU1 AR-SV1	Compact PDF Kit OCR Expansion Kit Fax Expansion Kit Internet Fax Kit Bar Code Font Kit Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge
Hard Disk Drive Copy Resolution Copy Modes Exposure Control Halftone	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB 500 GB Scan: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Monochrome/Grayscale Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Paper Selection (APS), Auto Magnification Selection	Resident Fonts Interface Operating Systems	stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX, and PPTX. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless	MX-EB19L MX-EB20L MX-FX15 MX-FWX1L MX-PF10 MX-PK13L MX-PU10L AR-SU1 AR-SU1 MX-AMX1L	Compact PDF Kit OCR Expansion Kit Fax Expansion Kit Internet Fax Kit Bar Code Font Kit Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module
Hard Disk Drive Copy Resolution Copy Modes Exposure Control Halftone	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB 500 GB Scan: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Monochrome/Grayscale Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank	Resident Fonts Interface Operating Systems	stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX, and PPTX. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 8.1, Windows 10, Windows Server	MX-EB19L MX-EB20L MX-FX15 MX-FWX1L MX-PF10 MX-PK13L MX-PU10L AR-SU1 AR-SU1 MX-AWX1L MX-AMX1L	Compact PDF Kit OCR Expansion Kit Fax Expansion Kit Internet Fax Kit Bar Code Font Kit Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module
Hard Disk Drive Copy Resolution Copy Modes Exposure Control Halftone	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB 500 GB Scan: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Monochrome/Grayscale Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase,	Resident Fonts Interface Operating Systems	stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX, and PPTX. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 8.1, Windows 10, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012,	MX-EB19L MX-EB20L MX-FX15 MX-FW1L MX-PF10 MX-PK13L MX-PU10L AR-SU1 AR-SU1 MX-AMX1L MX-AMX2L MX-AMX3L	Compact PDF Kit OCR Expansion Kit Fax Expansion Kit Internet Fax Kit Bar Code Font Kit Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module External Accounting Module
Hard Disk Drive Copy Resolution Copy Modes Exposure Control Halftone	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB 500 GB Scan: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Monochrome/Grayscale Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Print	Resident Fonts Interface Operating Systems	stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX, and PPTX. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 8.1, Windows 10, Windows Server 2018, Windows Server 2012, Windows Server 2012, Windows Server 2012, RJ, Windows Server 2012, RJ, Windows Server 2016, Mac OS X	MX-EB19L MX-EB20L MX-FX15 MX-FW11L MX-PF10 MX-PK13L MX-PU10L AR-SU1 AR-SU1 MX-AMX1L MX-AMX1L MX-AMX1L MX-AMX2L MX-FR56U	Compact PDF Kit OCR Expansion Kit Fax Expansion Kit Internet Fax Kit Bar Code Font Kit Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module External Accounting Module Commercial Data Security Kit
Hard Disk Drive Copy Resolution Copy Modes Exposure Control Halftone	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB 500 GB Scan: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Monochrome/Grayscale Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page	Resident Fonts Interface Operating Systems	stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX, and PPTX. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 8.1, Windows 10, Windows Server 2008, Windows Server 2012 R2, Windows Server 2012, Ryindows Server 2012 R2, Windows Server 2015, Mac OS X 10.6-10.13, UNIX®, Linux, Citrix® (NenApp 5.0-7.6), Windows Remote Desktop Services, SAP device types¹	MX-EB19L MX-EB20L MX-FX15 MX-FWX1L MX-PF10 MX-PK13L MX-PU10L AR-SU1 AR-SV1 MX-AMX1L MX-AMX2L MX-AMX2L MX-AMX3L MX-FR56U DVENDFSV	Compact PDF Kit OCR Expansion Kit Fax Expansion Kit Internet Fax Kit Bar Code Font Kit Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module External Accounting Module Commercial Data Security Kit
Hard Disk Drive Copy Resolution Copy Modes Exposure Control Halftone	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB 500 GB Scan: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Monochrome/Grayscale Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy,	Resident Fonts Interface Operating Systems and Environments	stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print File Types: TIFF, JPE6, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX, and PPTX. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 8.1, Windows 10, Windows Server 2008, Windows Server 2012 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Mac OS X 10.6-10.13, UNIX®, Linux, Citrix® (XenApp 5.0-7.6), Windows Remote Desktop Services, SAP device types¹ LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3, HTTP, LPD	MX-EB19L MX-EB20L MX-FX15 MX-FW11L MX-PF10 MX-PK13L MX-PU10L AR-SU1 AR-SU1 AR-SV1 MX-AMX1L MX-AMX1L MX-AMX2L MX-AMX3L MX-FR56U DVENDFSV Supplies	Compact PDF Kit OCR Expansion Kit Fax Expansion Kit Internet Fax Kit Bar Code Font Kit Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module External Accounting Module Commercial Data Security Kit Generic Vendor Interface Kit
Hard Disk Drive Copy Resolution Copy Modes Exposure Control Halftone	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB 500 GB Scan: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Monochrome/Grayscale Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Print	Resident Fonts Interface Operating Systems and Environments	stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX, and PPTX. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 8.1, Windows 10, Windows Server 2008, Windows Server 2012 R2, Windows Server 2012, Ryindows Server 2012 R2, Windows Server 2015, Mac OS X 10.6-10.13, UNIX®, Linux, Citrix® (NenApp 5.0-7.6), Windows Remote Desktop Services, SAP device types¹	MX-EB19L MX-EB20L MX-FX15 MX-FW11L MX-PF10 MX-PK13L MX-PU10L AR-SU1 AR-SU1 MX-AMX1L MX-AMX1L MX-AMX2L MX-FR56U DVENDFSV Supplies MX-561NT	Compact PDF Kit OCR Expansion Kit Fax Expansion Kit Internet Fax Kit Bar Code Font Kit Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module External Accounting Module Commercial Data Security Kit Generic Vendor Interface Kit
Hard Disk Drive Copy Resolution Copy Modes Exposure Control Halftone	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB 500 GB Scan: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Monochrome/Grayscale Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper	Resident Fonts Interface Operating Systems and Environments Printing Protocols	stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX, and PPTX. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 8.1, Windows 10, Windows Server 2008, Windows Server 2018 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2015, Mac OS X 10.6-10.13, UNIX®, Linux, Citrix® (XenApp 5.0-7.6), Windows Remote Desktop Services, SAP device types¹ LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix	MX-EB19L MX-EB20L MX-FX15 MX-FWX1L MX-PF10 MX-PK13L MX-PU10L AR-SU1 AR-SU1 MX-AMX1L MX-AMX2L MX-AMX2L MX-FR56U DVENDFSV Supplies MX-561NT MX-561NV	Compact PDF Kit OCR Expansion Kit Fax Expansion Kit Internet Fax Kit Bar Code Font Kit Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module External Accounting Module Commercial Data Security Kit Generic Vendor Interface Kit Toner Cartridge Developer
Hard Disk Drive Copy Resolution Copy Modes Exposure Control Halftone	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB 500 GB Scan: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Monochrome/Grayscale Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency	Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning	stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX, and PPTX. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 8.1, Windows 10, Windows Server 2008, Windows Server 2012 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Mac OS X 10.6-10.13, UNIX®, Linux, Citrix® (XenApp 5.0-7.6), Windows Remote Desktop Services, SAP device types¹ LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix	MX-EB19L MX-EB20L MX-FX15 MX-FWX1L MX-PF10 MX-PK13L MX-PU10L AR-SU1 AR-SU1 MX-AMX1L MX-AMX2L MX-AMX2L MX-AMX3L MX-FR56U DVENDFSV Supplies MX-561NT MX-561NV MX-560DR	Compact PDF Kit OCR Expansion Kit Fax Expansion Kit Internet Fax Kit Bar Code Font Kit Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module External Accounting Module Commercial Data Security Kit Generic Vendor Interface Kit Toner Cartridge Developer Drum
Hard Disk Drive Copy Resolution Copy Modes Exposure Control Halftone Copy Features	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB 500 GB Scan: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Monochrome/Grayscale Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Praye Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot	Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes	stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print File Types: TIFF, JPE6, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX, and PPTX. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 8.1, Windows 10, Windows Server 2008, Windows Server 2012 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Mac OS X 10.6-10.13, UNIX®, Linux, Citrix® (XenApp 5.0-7.6), Windows Remote Desktop Services, SAP device types¹ LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix System Standard: Color, monochrome, grayscale	MX-EB19L MX-EB20L MX-FX15 MX-FWX1L MX-PF10 MX-PK13L MX-PU10L AR-SU1 AR-SU1 MX-AMX1L MX-AMX2L MX-AMX2L MX-FR56U DVENDFSV Supplies MX-561NT MX-561NV	Compact PDF Kit OCR Expansion Kit Fax Expansion Kit Internet Fax Kit Bar Code Font Kit Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module External Accounting Module Commercial Data Security Kit Generic Vendor Interface Kit Toner Cartridge Developer
Hard Disk Drive Copy Resolution Copy Modes Exposure Control Halftone Copy Features	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB 500 GB Scan: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Monochrome/Grayscale Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2:n-1 / 4:n-1 / 8:n-1 multi shot Up to 1,000 users. Supports user authentication via local,	Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size	stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX, and PPTX. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 8.1, Windows 10, Windows Server 2008, Windows Server 2018 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Mac OS X 10.6-10.13, UNIX®, Linux, Citrix® (XenApp 5.0-7.6), Windows Remote Desktop Services, SAP device types¹ LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix System Standard: Color, monochrome, grayscale 11" x 17"	MX-EB19L MX-EB20L MX-FX15 MX-FWX1L MX-PF10 MX-PK13L MX-PU10L AR-SU1 AR-SU1 MX-AMX1L MX-AMX2L MX-AMX2L MX-AMX3L MX-FR56U DVENDFSV Supplies MX-561NT MX-561NV MX-560DR	Compact PDF Kit OCR Expansion Kit Fax Expansion Kit Internet Fax Kit Bar Code Font Kit Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module External Accounting Module Commercial Data Security Kit Generic Vendor Interface Kit Toner Cartridge Developer Drum
Hard Disk Drive Copy Resolution Copy Modes Exposure Control Halftone	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB 500 GB Scan: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Monochrome/Grayscale Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphiet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot Up to 1,000 users. Supports user authentication via local, LDAP, and Active Directory ⁶⁰ for copy, print, scan and	Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution	stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX, and PPTX. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 81, Windows 10, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Mac OS X 10.6-10.13, UNIX®, Linux, (Citrix® (XenApp 5.0-7.6), Windows Remote Desktop Services, SAP device types¹ LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix System Standard: Color, monochrome, grayscale 11" x 17" 600 dpi	MX-EB19L MX-EB20L MX-FX15 MX-FWX1L MX-PF10 MX-PK13L MX-PU10L AR-SU1 AR-SV1 MX-AMX1L MX-AMX2L MX-AMX2L MX-AMX3L MX-FR56U DVENDFSV Supplies MX-561NT MX-561NV MX-560DR MX-609HB	Compact PDF Kit OCR Expansion Kit Fax Expansion Kit Internet Fax Kit Bar Code Font Kit Adobe PostScript 3 Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module External Accounting Module Commercial Data Security Kit Generic Vendor Interface Kit Toner Cartridge Developer Drum Toner Collection Container
Hard Disk Drive Copy Resolution Copy Modes Exposure Control Halftone Copy Features Account Control	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB 500 GB Scan: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Monochrome/Grayscale Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document Settings: Auto r9 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot Up to 1,000 users. Supports user authentication via local, LDAP, and Active Directory® for copy, print, scan and document management.	Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution Output Modes	stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX, and PPTX. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 8.1, Windows 10, Windows Server 2008, Windows Server 2012 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Mac OS X 10.6-10.13, UNIX®, Linux, Citrix® (XenApp 5.0-7.6), Windows Remote Desktop Services, SAP device types¹ LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix System Standard: Color, monochrome, grayscale 11" x 17" 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi	MX-EB19L MX-EB20L MX-FX15 MX-FW11L MX-PF10 MX-PK13L MX-PU10L AR-SU1 AR-SU1 AR-SV1 MX-AMX1L MX-AMX2L MX-AMX3L MX-FR56U DVENDFSV Supplies MX-561NY MX-560DR MX-609HB	Compact PDF Kit OCR Expansion Kit Fax Expansion Kit Internet Fax Kit Bar Code Font Kit Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module External Accounting Module Commercial Data Security Kit Generic Vendor Interface Kit Toner Cartridge Developer Drum Toner Collection Container
Hard Disk Drive Copy Resolution Copy Modes Exposure Control Halftone Copy Features	Standard 5 GB copy/print (shared)/Hard Disk Drive: 500 GB 500 GB Scan: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Output: Up to 600 x 600 dpi Monochrome/Grayscale Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphiet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot Up to 1,000 users. Supports user authentication via local, LDAP, and Active Directory ⁶⁰ for copy, print, scan and	Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution	stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX, and PPTX. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 81, Windows 10, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Mac OS X 10.6-10.13, UNIX®, Linux, (Citrix® (XenApp 5.0-7.6), Windows Remote Desktop Services, SAP device types¹ LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix System Standard: Color, monochrome, grayscale 11" x 17" 600 dpi	MX-EB19L MX-EB20L MX-FX15 MX-FW11L MX-PF10 MX-PK13L MX-PU10L AR-SU1 AR-SU1 AR-SV1 MX-AMX1L MX-AMX2L MX-AMX3L MX-FR56U DVENDFSV Supplies MX-561NY MX-560DR MX-609HB	Compact PDF Kit OCR Expansion Kit Fax Expansion Kit Internet Fax Kit Bar Code Font Kit Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module External Accounting Module Commercial Data Security Kit Generic Vendor Interface Kit Toner Cartridge Developer Drum Toner Collection Container

















SHARP ELECTRONICS CORPORATION 100 Paragon Drive, Montvale, NJ 07645 1-800-BE-SHARP • www.sharpusa.com Design and specifications subject to change without notice. Sharp, Sharp OSA and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Windows, Windows Server, OneDrive and SharePoint are registered trademarks of Microsoft Corporation. Android, Google Drive, Google Cloud Print and Chromebook are registered trademarks of Google LLC. PCL is a registered trademark of Hewlett Packard Company. Adobe and PostScript are registered trademarks of Adobe Systems Inc. DirectOffice is a trademark of CSR Imaging US, LP, registered in the United States and other countries, used with permission. All other trademarks are the property of their respective owners.